

Finite almost simple 5-primary groups and their Gruenberg – Kegel graphs¹

A.S. KONDRAT'EV

Рассматриваются конечные 5-примарные группы с несвязным графом простых чисел. Определяются конечные почти простые 5-примарные группы и их графы Грюнберга-Кегеля.

Ключевые слова: конечная почти простая группа, 5-примарная группа, граф Грюнберга-Кегеля, несвязный граф простых чисел.

The finite 5-primary groups with disconnected prime graph are considered. The finite almost simple 5-primary groups and their Gruenberg-Kegel graphs are determined.

Key words: finite almost simple group, 5-primary groups, Gruenberg-Kegel graph, 5-primary groups Gruenberg-Kegel graph, disconnected prime graph.

Let G be a finite group. Denote by $\pi(G)$ the set of prime divisors of the order of G . If $|\pi(G)| = n$ then the group G is called n -primary. The prime graph (Gruenberg – Kegel graph) $\Gamma(G)$ of G is defined as a graph with the vertex set $\pi(G)$, in which two different vertices p and q are adjacent if and only if there exists an element of order pq in G .

Many investigators in the finite group theory are interested by various particular cases of the general problem of the study of finite groups by the properties of their Gruenberg – Kegel graphs. In the frame of this general problem, our attention draw first of all a more detailed study of the class of finite groups with disconnected prime graph. In fact, this class generalizes widely the class of finite Frobenius groups as is obvious from the well-known structural Gruenberg – Kegel theorem on finite groups with disconnected prime graph [11]. And Frobenius groups occupy an absolutely exceptional place in the finite group theory. Note also that the class of finite groups with disconnected prime graph coincides with the class of finite groups having an isolated subgroup (i.e., a proper subgroup containing the centralizer of any its nontrivial element) which have studied by many known algebraists (Frobenius, Suzuki, Feit, Thompson, G. Higman, Arad, Chillag, Busarkin, Gorchakov, Podufalov and others).

Finite simple groups with disconnected prime graph are determined in the papers of Williams [11] and the author [5]. They compose sufficiently restricted class of all finite simple groups, but include many «small» in various senses groups which arise often in the investigations. For example, all finite simple groups of exceptional Lie type, besides the groups $E_7(q)$ for $q > 3$, and also all finite simple groups from well-known «Atlas of finite groups» [2], besides the group A_{10} , have disconnected prime graph. The classification of connected components of prime graph for finite simple groups, obtained in [11, p. 5], were applied by Lucido [9] for the obtaining an analogous classification for all finite almost simple groups, i.e., groups with nonabelian simple socle. The problem of the study of finite groups with disconnected prime graph, which are not almost simple, is solved for several particular cases only, because here some nontrivial problems related with modular representations of finite almost simple groups arise.

In the frame of above-mentioned problem, the author and Khramtsov in [6]–[8] studied finite groups having disconnected prime graph whose the number of vertices is at the most 4. As a corollary of their results, a list of finite simple 4-primary groups obtained in [10], [3], [1] is

¹ The work is supported by the RFBR (project 13-01-00469), the Program of the Division of Mathematical Sciences of the Russian Academy of Sciences (project 12-T-1-1003), and the Programs of the Joint Investigations of the Ural Branch of the Russian Academy of Sciences with Siberian Division of the Russian Academy of Sciences (project 12-1-10018) and with the Belarussian National Academy of Sciences (project 12-C-1-1009).

essentially refined. It is interesting that all simple 4-primary groups, except for the group A_{10} , have disconnected prime graphs.

We continue these investigations with the purpose of the study of finite 5-primary groups with disconnected prime graph. In the given work, we make a necessary preliminary step for this by the determining the finite almost simple 5-primary groups and their Gruenberg-Kegel graphs. In particular, the following theorem having an independent interest is proved.

Theorem. A finite almost simple group G is 5-primary if and only if one of the following statements holds:

- (1) the socle of G is isomorphic to one of the groups A_{11} , A_{12} , $L_2(q)$ for $q \in \{2^6, 2^8, 2^9, 5^3, 5^4, 7^3, 7^4, 7^7, 17^2, 17^3\}$, $L_3(9)$, $L_3(27)$, $L_4(q)$ for $q \in \{4, 5, 7\}$, $L_5(2)$, $L_5(3)$, $L_6(2)$, $U_3(q)$ for $q \in \{16, 17, 25, 81\}$, $U_4(q)$ for $q \in \{4, 5, 7, 9\}$, $U_5(3)$, $U_6(2)$, $S_4(q)$ for $q \in \{8, 16, 17, 25, 49\}$, $S_6(3)$, $S_8(2)$, $O_7(3)$, $O_8^+(3)$, $O_8^-(2)$, $G_2(q)$ for $q \in \{4, 5, 7, 8\}$, M_{22} , J_3 , HS , He or M^cL ;
- (2) $G \cong L_2(2^p)$, where p is a prime, $p \geq 11$ and $|\pi(2^{2p} - 1)| = 4$;
- (3) $G \cong \text{Aut}(L_2(2^p))$, where p , $2^p - 1$ and $(2^p + 1)/3$ are some different primes and $p \geq 7$;
- (4) $G \cong \text{Aut}(L_2(3^p))$ or $O^2(\text{Aut}(L_2(3^p)))$, where p , $3^p - 1$ and $(3^p + 1)/2$ are primes, $p \geq 5$ and $|\pi((3^p + 1)/4)| = 1$;
- (5) $G \cong L_2(p)$ or $PGL_2(p)$, where p is a prime, $p \geq 41$ and $|\pi(p^2 - 1)| = 4$;
- (6) the socle of G is isomorphic to $L_2(p^2)$, where p is a prime, $p \geq 11$, $|\pi(p^2 - 1)| = 3$ and $p^2 + 1 = 2t$ or $2t^2$ for an odd prime t ;
- (7) G is isomorphic to $L_2(p^r)$ or $PGL_2(p^r)$, where $p \in \{3, 5, 7, 17\}$, r is a prime, $3 < r \neq p$ and $|\pi(p^{2r} - 1)| = 4$;
- (8) $U_3(2^p) \leq G \leq PGU_3(2^p):2$, where $p > 3$ and $2^p - 1$ are odd primes, $|\pi((2^p + 1)/3)| = |\pi((2^{2p} - 2^p + 1)/3)| = 1$;
- (9) the socle of G is isomorphic to $L_3^\varepsilon(p)$, where $\varepsilon \in \{+, -\}$, p is a prime, $17 \neq p \geq 11$, $|\pi(p^2 - 1)| = 3$, and $|\pi(\frac{p^2 + \varepsilon p + 1}{3, p - \varepsilon 1})| = 1$;
- (10) $G \cong S_4(p)$ or $PGSp_4(p)$, where p is a prime, $p \geq 11$, $|\pi(p^2 - 1)| = 3$ and $p^2 + 1 = 2r$ or $2r^2$ for an odd prime r ;
- (11) $G \cong Sz(2^p)$, where p and $2^p - 1$ are primes, $p \geq 7$ and $|\pi(2^{2p} + 1)| = 3$;
- (12) $G \cong \text{Aut}(Sz(8))$.

As a corollary of Theorem, a list of finite simple 5-primary groups obtained in [4, 12] is essentially refined. The results of this work show that finite simple 5-primary groups besides the groups $L_4(q)$ for $q \in \{4, 7\}$ and $U_4(q)$ for $q \in \{4, 5, 7, 9\}$ have disconnected prime graph.

We use the notation from [2].

References

1. Bugeaud, Y. On simple K_4 -groups / Y. Bugeaud, Z. Cao, M. Mignotte // J. Algebra. – 2001. – Vol. 241, № 2. – P. 658–668.
2. Conway, J.H. Atlas of finite groups / J.H. Conway, R.T. Curtis, S.P. Norton, R.A. Parker, R.A. Wilson. – Oxford: Clarendon Press, 1985.
3. Huppert, B. Simple groups of order divisible by at most four primes / B. Huppert, W. Lempken // Proc. F. Scorina Gomel State University. Problems in Algebra. – 2000. – Vol. 3, № 16. – P. 64–75.
4. Jafarzadeh, A. On simple K_n -groups for $n = 5, 6$ / A. Jafarzadeh, A. Iranmanesh // London Math. Soc. Lecture Note Ser. – 2007. – Vol. 340. – P. 517–526.
5. Kondrat'ev, A.S. Prime graph components of finite simple groups / A.S. Kondrat'ev // Math. USSR Sb. – 1990. – Vol. 67, № 1. – P. 235–247.

6. Kondrat'ev, A.S. On finite triprimary groups / A.S. Kondrat'ev, I.V. Khramtsov // Trudy IMM UrO RAN. – 2010. – Vol. 16, № 3. – P. 150–158 (In Russian).
7. Kondrat'ev, A.S. On finite tetraprimary groups / A.S. Kondrat'ev, I.V. Khramtsov // Proc. Steklov Inst. Math. – 2012. – Vol. 279. – P. 43–61.
8. Kondrat'ev, A.S. On finite nonsimple triprimary groups with disconnected prime graph / A.S. Kondrat'ev, I.V. Khramtsov // Siberian Electron. Math. Rep. – 2012. – Vol. 9. – P. 472–477 (In Russian).
9. Lucido, M.S. Prime graph components of finite almost simple groups / M.S. Lucido // Rend. Sem. Mat. Univ. Padova. – 1999. – Vol. 102. – P. 1–22; addendum, Rend. Sem. Mat. Univ. Padova. – 2001. – Vol. 107. – P. 189–190.
10. Shi, W.J. On simple K_4 -groups / W.J. Shi // Chinese Science Bull. – 1991. – Vol. 36, № 17. – P. 1281–1283.
11. Williams, J.S. Prime graph components of finite groups / J.S. Williams // J. Algebra. – 1981. – Vol. 69, № 2. – P. 487–513.
12. Zhang, L. OD-characterization of finite simple K_5 -groups / L. Zhang, W. Shi, H. Lv, D. Yu, S. Chen // Preprint.

Институт математики и механики
им. Н.Н. Красовского
Уральского отделения РАН

Поступила в редакцию 14.05.2014